



(12) **United States Design Patent**  
**Helfenbein et al.**

(10) **Patent No.:** **US D869,600 S**  
(45) **Date of Patent:** **\*\* Dec. 10, 2019**

(54) **DRY FLY**

(71) Applicants: **Joseph Helfenbein**, Roscoe, NY (US);  
**David Helfenbein**, Roscoe, NY (US)

(72) Inventors: **Joseph Helfenbein**, Roscoe, NY (US);  
**David Helfenbein**, Roscoe, NY (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/634,161**

(22) Filed: **Jan. 18, 2018**

(51) **LOC (12) Cl.** ..... **22-05**

(52) **U.S. Cl.**  
USPC ..... **D22/128**

(58) **Field of Classification Search**  
USPC ..... D22/126-133; 43/42.25, 42.32, 42.53,  
43/42.39, 42.37  
CPC ..... A01K 85/00; A01K 85/08  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,657,734	A *	1/1928	Wright	.....	A01K 85/08
					43/42.25
2,533,523	A *	12/1950	Sivey	.....	A01K 85/08
					43/42.53
2,757,476	A *	8/1956	Pender	.....	A01K 85/08
					43/42.25
2,814,148	A *	11/1957	Allen	.....	A01K 85/08
					43/42.25
D192,736	S *	5/1962	Holder	.....	D22/128
3,133,371	A *	5/1964	Christensen	.....	A01K 85/08
					43/42.25
3,690,029	A *	9/1972	Probst	.....	A01K 85/08
					43/42.25
D227,462	S *	6/1973	Skeie	.....	D22/128
3,750,322	A *	8/1973	Putnam	.....	A01K 85/02
					43/42.25

D264,490	S *	5/1982	Anderson	.....	D22/128
4,411,089	A *	10/1983	Runeric	.....	A01K 85/08
					43/42.25
D296,124	S *	6/1988	Moser	.....	D22/128
6,003,264	A *	12/1999	Hnizdor	.....	A01K 85/08
					43/42.25
6,393,758	B1 *	5/2002	Sparkman	.....	A01K 85/08
					43/42.25
7,036,265	B2 *	5/2006	Moffitt	.....	A01K 85/08
					43/42.25

\* cited by examiner

*Primary Examiner* — Catherine R Oliver-Garcia  
(74) *Attorney, Agent, or Firm* — Lawrence G. Fridman,  
Esq.; Feigin & Fridman, LLC


(57) **CLAIM**

The ornamental design for a dry fly, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a dry fly model showing my our new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is one side elevation view thereof;  
FIG. 7 is another side elevation view thereof;  
FIG. 8 is a perspective view of another embodiment of a dry fly model showing our new design;  
FIG. 9 is a rear elevational view thereof;  
FIG. 10 is a front elevational view thereof;  
FIG. 11 is a top plan view thereof;  
FIG. 12 is a bottom plan view thereof;  
FIG. 13 is one side elevation view thereof; and,  
FIG. 14 is another side elevation view thereof.

**1 Claim, 14 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14